

GM KUV BODIES

GENERAL MOTORS

1

KNAPHEIDE KUV BODIES



KUV BODIES

The Knapheide KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors, including plumbers, HVACR technicians, electricians, and more.

No more looking for what you need — just grab and go!

POPULAR VOCATIONS



CONSTRUCTION

PLUMBING

KNAPHEIDE



KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.



A. DOUBLE PANELED DOORS

made of galvanneal steel (14-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

B. TWO CONDUIT CHUTES to transport copper pipes, PVC, and conduit

C. AUTOMOTIVE-QUALITY, ROTARY-STYLE LATCHES make opening and closing easy

D. ELECTRODEPOSITION PRIME-PAINT SYSTEM provides superior corrosion resistance

E. FLAT PANEL SPACE provides rolling billboard to promote business

F. INTEGRATED LED S/T/T AND B/U, LED STROBE OPTION* with (8) selectable patterns and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights **Covered under 3-year limited warranty





AERODYNAMIC WIND DEFLECTOR Mounted on body above cab

Standard on DL, DH, and SH models only



CARGO AREA AND CONDUIT CHUTE CAPACITY 10' in 129" bodies 12' in 153" bodies

FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY for maximum security TWO INTERIOR LED DOME LIGHTS in cargo area with light switch inside the cargo doors REFINED ABS PARTITION is equipped with a sliding cab access door and window. The door's slam latch can be locked from the cab and secured in either an open or closed position

ALUMINUM FUEL CUP

GRAB HANDLE (rear right)

4

5

R

じ

M



S

ш

Ŷ

 \supset

 \vdash

 \triangleleft

ш

ш

 \vdash

Ζ

ш

Σ

 \vdash

Ľ

4

Δ

Σ

Ο

 \bigcirc

DOUBLE-SPRING OVER-CENTER RETAINER on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS protect compartments from the weather



MASTER LOCKING SYSTEM for piece of mind — locks down all of the side compartments in one move



CONTINUOUS STAINLESS STEEL HINGES are pry-proof and corrosion-resistant

STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS Two adjustable divider shelves and dividers, with a 250-lb. capacity



STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT One adjustable divider shelf and dividers, with a 250-lb. capacity



POPULAR OPTIONS



POWER LOCKS



CODEABLE PADLOCK



UPPER SIDE GLASS







REAR VISION CAMERA

REAR DOOR

WINDOWS



ALUMINUM DRAWERS

CLASS V

нітсн

RECEIVER



SORTIMO





PULL OUT TRAY













6



REQUEST A QUOTE



Visit knapheide.com/quote and fill



LED COMPARTMENT LIGHTING







SIDE ACCESS DOOR



3 BOW LADDER RACK





MODEL OPTIONS

KUV BODIES

| BODY MODEL | CHASSIS MODEL | WHEELBASE | CHASSIS WEIGHT ¹ | CHASSIS GVWR | BULK CARGO AREA | TOTAL STORAGE | COMPARTMENT AREA | BODY HEIGHT | BODY WEIGHT | PAY- LOAD |
|---------------|------------------|-----------|--------------------------------|-----------------|-----------------------|------------------|---------------------|----------------|----------------|--------------|
| KUV129SU | G33503 | 139" | 4,688 lb. | 9,900 | 265 cu. ft. | 335 cu. ft. | 70 cu. ft. | 70" | 1,731 lb. | 3,394 lb. |
| KUV129SL | G33503 | 139" | 4,688 lb. | 9,900 | 318 cu. ft. | 388 cu. ft. | 70 cu. ft. | 78" | 1,873 lb. | 3,256 lb. |
| KUV129SH | G33503 | 139" | 4,688 lb. | 9,900 | 403 cu. ft. | 473 cu. ft. | 70 cu. ft. | 90" | 2,053 lb. | 3,076 lb. |
| KUV129DL | G33503 | 139" | 4,975 lb. | 12,300 | 355 cu. ft. | 425 cu. ft. | 70 cu. ft. | 78" | 2,047 lb. | 5,189 lb. |
| KUV129D20L | G33503 | 139" | 4,975 lb. | 12,300 | 329 cu. ft. | 425 cu. ft. | 96 cu. ft. | 78" | 2,059 lb. | 5,177 lb. |
| KUV129DH | G33503 | 139" | 4,975 lb. | 12,300 | 422 cu. ft. | 492 cu. ft. | 70 cu. ft. | 90" | 2,198 lb. | 5,038 lb. |
| KUV129D20H | G33503 | 139" | 4,975 lb. | 12,300 | 396 cu. ft. | 492 cu. ft. | 96 cu. ft. | 90" | 2,222 lb. | 4,913 lb. |
| KUV153DL | G33803 | 159" | 5,076 lb. | 12,300 | 421 cu. ft. | 506 cu. ft. | 85 cu. ft. | 78" | 2,347 lb. | 4,788 lb. |
| KUV153D20L | G33803 | 159" | 5,076 lb. | 12,300 | 389 cu. ft. | 506 cu. ft. | 117 cu. ft. | 78" | 2,382 lb. | 4,753 lb. |
| KUV153DH | G33803 | 159" | 5,076 lb. | 12,300 | 500 cu. ft. | 585 cu. ft. | 85 cu. ft. | 90" | 2,517 lb. | 4,618 lb. |
| KUV153D20H | G33803 | 159" | 5,076 lb. | 12,300 | 468 cu. ft. | 585 cu. ft. | 117 cu. ft. | 90" | 2,553 lb. | 4,582 lb. |


Models above are designed to fit Chassis Model G33503 and G33803. Please check Knapheide Product Guide for fitment.

¹ Chassis weight calculated with 6.0L gas engine. Optional engines and other chassis may affect chassis weight.


* "S" model denotes single rear wheel with 14.5" deep compartments.

***D" model denotes dual rear wheel with 14.5" deep compartments. ***D20" model denotes dual rear wheel with 20" deep compartments.


KUV129SU / KUV129SL




KUV129DL / KUV129DH



KUV129SH



KUV153DL / KUV153DH





COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US LIKE US TAG US

f 🖸 in 🌶 🗖





NO RUST THROUGH



NAPHEINE

DOOR HINGES WILL NOT FAIL OR COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com